

**BOOTDOC**  
TUNE YOUR FEET

**HOTRONIC**  
HEATING SYSTEM

**WINTER  
SUMMER  
2022 / 23**



## **YOUR SPECIALIST FOR CUSTOMIZED ATHLETIC FOOTWEAR.**

BOOTDOC designs unique solutions for active feet that guarantee excellent comfort and performance when taking part in sport. What sets BOOTDOC apart is the most innovative analysis methods and products that are designed to meet the individual needs of each customer – specifically customers who seek out the latest advancements in development and technology. BOOTDOC strives to be a part of this journey by supporting their feet and developing the tools for them to improve their performance.



## **KEEPING FEET WARMER. LONGER.**

HOTRONIC Designs and creates comfort and warmth solutions for active feet. With its offering of high quality components built upon the latest in technology, HOTRONIC meets the needs of the individual user. Heat Socks, Foot Warmers, and boot and glove dryers. HOTRONIC's goal is keeping feet warmer. Longer!

Discover now:  
[boot-doc.com](http://boot-doc.com)



# CONTENT

ASC Concept	04
-------------	----

3-Arch Concept	05
----------------	----

## **INSOLES** **06**

3D Custom	07
-----------	----

Fusion Preshaped	13
------------------	----

Step-In	19
---------	----

## **POWER FIT SOCKS** **28**

Materials	29
-----------	----

Performance	31
-------------	----

Active	37
--------	----

## **FOAM LINERS** **40**

Quick Foam	41
------------	----

Pressure Foam	42
---------------	----

Accessories	43
-------------	----

## **HEATING & DRYING SYSTEMS** **44**

Heat Socks	47
------------	----

Accessories	50
-------------	----

Micro Dry	54
-----------	----

Tech Dry	55
----------	----

Bags and Heated Bags	56
----------------------	----

## **ANALYSIS & FITTING** **60**

Analysis Systems	62
------------------	----

Fitting Systems	70
-----------------	----

Heating Systems	74
-----------------	----

## **FITTING TOOLS** **76**

Materials	77
-----------	----

Tools	80
-------	----

Ultracam	85
----------	----

Insoles	89
---------	----

## **RETAIL & PROMOTION** **94**

Displays	95
----------	----

Promotion	97
-----------	----

Clothing	105
----------	-----

## **SIZE CHARTS** **107**


## **CONTACT** **108**

# 3 EASY STEPS TO THE PERFECT FIT.

Here's how you can find the perfect fit with the ASC concept for every customer quickly and easily:

## ANALYZE

There are six different analysis devices to choose from that determine the foot type, length, width and other data concerning customer's feet. From the three-dimensional representation of both feet using the 3D Scanner VANDRA to the quick and easy-to-use Feet View, we offer the following devices for foot type analysis: ER\_WIN 3D FOOT SCAN, 3D SCANNER VANDRA, PODOSCOPE, FEET VIEW.



## SELECT

Once the foot type has been determined, it is easy to find the appropriate insole, suitable Power Fit socks, and foam liners. Choose the product that is going to meet the customer's requirements for their sport or activity, whether it's skiing, snowboarding, hiking, running or working, and so on.



## CUSTOMIZE

Regardless of whether they're Step-In, Fusion or 3D Custom, all insoles can be custom molded and fitted precisely to the foot of a customer through heating.

The following devices are available for customizing insoles:

**Heating:** 3D HEATER, SPEED HEAT DIGITAL 3L, HEAT GUN

**Fitting:** AUTOFIT BT, VAC IV ELECTRIC, PILLOWS 13






# 3-ARCH CONCEPT

You can cover all activities choosing from four models and three different constructions, regardless of various foot types. Follow the simple foot analysis steps and select an insole from the four models in LOW, MID or HIGH Arch. Integrate the insole into the footwear by trimming and you're finished! Individual fitting can be offered as an extra service that ensures customers get a fit that is 100 % perfect. The wide range of insoles guarantees the right insole for every foot type.

## LOW ARCH

The arch is incapable of cushioning, thus reducing the spring in the customers step or running motion. Displacement of the bones involved (e.g., buckling of the ankle bone, heel bone) can cause strain on tendons and ligaments. This leads to static imbalance and pain. The LOW Arch insole helps to prevent overpronation.



## MID ARCH

The layout of the bones, tendons and ligaments reflects the theoretical norm. The pressure below the foot is distributed over the 3 main support points: heel (20 %), big toe base joint (17 %), small toe base joint (13 %). A MID Arch insole offers optimum pressure distribution for this type of foot, while stabilizing and cushioning.



## HIGH ARCH

The long-arch is too high, thus reducing the contact surface. High medial and lateral arches are typically caused by shortening of the tendon structure or high muscle tension. These changes of the foot shape cause friction and pressure points when wearing shoes. A stressed tendon structure is often found throughout the body in this case. A HIGH Arch insole ensures comfortable, even pressure distribution for this foot type.



Following models are available in the 3-Arch Concept:



**COMFORT**  
Page 19



**STABILITY**  
Page 20



**EXPLORE**  
Page 21




**FITNESS**  
Page 22

**NEW**

# 3D CUSTOM INSOLES

If you need a personalized solution, look no further than the BOOTDOC 3D CUSTOM insole range. In this segment, there are no compromises. The fitting process with 3D CUSTOM insoles from BOOTDOC is considered premium technology, and rightly so. It's not just about finding the perfect fit. It's also about passion, technology, know-how and most of all – a personal, thoughtful experience.



## 3D RACE

01-0400-183-x



## 3D WIDE

01-0400-185-x



## 3D POWER

01-0400-187-x



## 3D CLASSIC

01-0400-189-x



BOOTDOC is official insole supplier of the Austrian Ski Team.





01-0400-183-x // XS - XXL

95

## 3D RACE

The premium model for maximum performance.

- Perfect support and maximum transmission of energy thanks to a perforated PE Top-Grip surface
- Excellent precision thanks to the layer being extra thin
- External stabilizers
- Volume: Mid
- Construction: 3D Custom Vacutec
- Top cover: PE Top-Grip 1.6 mm

Insole can also be reordered in pairs in sizes XS and XXL.



01-0400-185-x // XS - XXL

110

## 3D WIDE

The comfort model for extra wide feet and ski boot lasts.

- Maximum comfort thanks to a PE cushioning layer
- Maximum stability thanks to an integrated mid and rear foot stabilizer (1.0 mm)
- For extra wide feet and lasts
- Slide zone in the arch area, which makes the boot easier to put on
- Volume: Mid
- Construction: 3D Custom Vacutec
- Top cover: PE Top 2 mm

Insole can also be reordered in pairs in sizes XS and XXL.



## RECOMMENDATION

01-2200-035-x // XS - S  
01-2200-036-x // M - L  
01-2200-037-x // XL - XXL

01-2200-031-x // XS - S  
01-2200-032-x // M - L  
01-2200-034-x // XL - XXL

## HEEL CUP SOFT

- Stabilizer for insoles
- Self-adhesive tape included



## HEEL CUP STIFF

- Stabilizer for insoles
- Self-adhesive tape included





01-0400-187-x // XS - XXL

95

## 3D POWER

For ambitious customers who are looking for maximum stability.

- Perfect support thanks to a perforated surface
- Extra lightweight thanks to Flex-Cambrelle base layer
- Mid and rear foot stabilizer (1 mm) offer maximum power, flexible in forefoot
- For shoes with low volume
- Volume: Low
- Construction: 3D Custom Thermoflux
- Top cover: PE Top-Grip perforated 2 mm

Insole can also be reordered in pairs in sizes XS and XXL.



01-0400-189-x // XS - XXL

95

## 3D CLASSIC

The basic all-purpose model for wintersports.

- Optimal support thanks to a perforated surface
- Maximum stability thanks to an integrated mid and rear foot stabilizer (1 mm)
- Slide-in zone in the arch area, which makes the boot easier to put on
- Volume: Low
- Construction: 3D Custom Vacutec
- Top cover: PE Top-Grip perforated 1.6 mm

Insole can also be reordered in pairs in sizes XS and XXL.



### RECOMMENDATION

01-2200-040

## HEEL PERFORMANCE


- Stabilizes 3D CUSTOM insoles in the mid and rear foot area
- Size: Uni



01-2200-041

## HEEL COMFORT

- Stabilizes 3D CUSTOM insoles in the mid and rear foot area
- Softer material, perforated
- Size: Uni



# 3D INSOLE FITTING

1. Material is pushed back to the rear part of the pillows to form a plateau. Next, air is pulled out to create a vacuum.
2. The customer should sit in a 90-90-90 position with the legs hip-width apart and put the feet on the vacuum pillows. The VAC IV offers the possibility to adjust the width of the molding pillows! Then, enough air to enable one of the feet to be copied needs to be let into the cushion.

**Tip:** The customer should apply no pressure to their foot at all, so that it can be positioned and copied correctly.

3. The heel should be pressed by the technician into the vacuum pillow while in a neutral position, and the area from the midfoot to the toes should then be carefully embedded in the pillow. Pull out more air to harden the cast.
4. Smooth out the pillow in front of and around the toes, so that an insole can be placed in the best possible position in the forefoot and toe area.
5. Heat the 3D Heater to the desired temperature, insert the insoles, and activate the timer. Avoid heating the insole too much and for too long as this will have a negative effect on the materials and the cooling time!
6. Position the heated insoles in the vacuum pillow starting from the heel and working toward the toes. Be sure to align the insole properly.
7. Ask the customer to stand on the insoles and put all their body weight on them for five minutes. Ensure the customer is standing with the feet hip-width apart when doing this. **Attention:** Allow the insoles to cool down for a further five minutes so that they harden completely. You can accelerate the cooling down phase by using cooling pads or a cooling spray. Once the 3D insoles have cooled completely, you can remove them from the 3D VAC and finish them (by sanding, cutting and/or milling them).



Watch insole fitting  
video now!





# HERE'S WHAT OUR CUSTOMERS HAVE TO SAY.

Layer-by-layer, create your own 3D design to suit your exact needs, and personalize it with your own logo! Insole technology made-to-measure!

**Brent Amsbury, certified Pedorthist, owner Park City Ski Boot:**

"Professional ski boot fitters know that the insole is the deciding factor in the perfect fit, and that the best results not only depend on knowledge and experience, but also on the quality of the selected materials. It's really satisfying to work with materials that provide excellent foot mapping. BOOTDOC insole blanks have been created according to my own specifications, which means that I can adhere to and control important criteria such as detailed foot mapping and deep contours. This provides the customer with the best possible support and comfort."



**Marcel Hagleitner, Sportshop Hagleitner, Saalbach:**

"The bespoke shape of the insole is the most important thing for me. There's absolutely no question that the insole has to be a perfect fit in order to provide the best possible support and comfort. We are so impressed with the quality of BOOTDOC insoles that we have put our own company logo on them, which shows just how high the quality of the product is and how important proper boot fitting is to us."



# BUILD YOUR OWN 3D CUSTOM INSOLE.

## TOP LAYER

### Material options to balance grip and cushion

- **Foam:** The classic, economical choice. 2 mm or 3 mm of cushioning foam that also increases top surface grip.
- **Jersey:** Polyester tight weave fabric that provides an economical solution for reducing surface friction and reducing blisters. This material can be shaped and styled in a number of colors and graphic patterns.
- **Microfiber:** Increases insulation and foot comfort through efficient moisture wicking. Reduces surface grip.
- **Functional-Mesh:** The premium top cover. Silver threads reduce odor, reflect heat back to the foot, and provide unique easy to enter surface that looks great.
- **Merino:** Be it spring, summer, autumn, or winter, the extremely fine fibers of Merino wool ensure effective temperature equalization and optimum foot climate.

## MIDDLE SUPPORT LAYER

### Heat moldable resin

- **2.0 mm:** For low volume applications such as racing or high performance freeride.
- **2.5 mm:** For general use and medium volume fitting.

## BOTTOM SUPPORT AND REINFORCEMENT

- **PCL Arch support:** This thermally moldable 2 mm performance plastic serves as a reinforcement layer for optimal support in arch and heel areas.
- **Refostab:** Heat moldable material in a selection of rigidities for the targeted control of the support and stabilization function in the necessary areas. Can be applied internally or externally.


Do you have any questions about our products? Please get in touch with your BOOTDOC contact person or write an e-mail to: [office@boot-doc.com](mailto:office@boot-doc.com)







### Examples:



# FUSION PRESHAPED INSOLES

The BOOTDOC Fusion Preshaped insoles are based on 3D CUSTOM Technology, but have already been preshaped for quick and convenient processing. Custom molding for the customer at the POS provides greater comfort, stability, and activity-specific support. Due to their construction, these insoles are designed to meet an extremely wide range of requirements and impress down to the very last detail.



<b>ALPINE</b> 01-0400-176-x	
<b>SENSATION</b> 01-0400-177-x	 
<b>MERINO</b> 01-0400-180-x	   
<b>POWER</b> 01-0400-178-x	    
<b>SUPREME</b> 01-0400-179-x	   
<b>ADVENTURE</b> 01-0400-160-x	   
<b>SPEED</b> 01-0400-161-x	     
<b>PERFORMANCE</b> 01-0400-159-x	     



Official supplier  
of the German ski  
national teams.







01-0400-176-x // XS - XXL

100

## ALPINE

The latest Fusion development with a 3D base construction for performance athletes.

- Comfort entry thanks to a Microfiber Top with anti-odor function
- Perfect pressure distribution and cushioning
- Maximum support thanks to integrated stabilizers
- Volume: Mid
- Construction: Fusion Preshape Vacutec
- Top cover: Microfiber AOF



01-0400-177-x // S - XXL

95

## SENSATION

A Fusion insole with a 3D base construction that includes a antibacterial Microfiber Top for easy entry.

- Comfort entry thanks to a antibacterial Mesh Top
- Excellent comfort and extra light materials
- Dynamic in the forefoot area
- Volume: Low
- Construction: Fusion Preshape Thermoflux
- Top cover: Antibacterial Mesh Top



01-0400-180-x // S - XXL

95

## MERINO

The MERINO is the ideal insole for use all year round. Be it spring, summer, autumn, or winter, the extremely fine fibers of the Merino wool ensure effective temperature equalization and thus an optimum foot climate.

- Tried-and-tested, durable POWER base construction
- Merino top for warm feet and optimum foot climate
- Volume: Mid / High
- Construction: Fusion Preshape Thermoflux
- Top cover: Merino Top





01-0400-178-x // XS - XXL

95

## POWER

A best-seller developed specifically designed for foam injection and thermally moldable liners.

- Perfect support thanks to a perforated surface
- Maximum stability and support
- Optimum transmission of energy thanks to an extra thin design
- Slide zone in the arch area, which makes footwear easier to put on
- Volume: Low
- Construction: Fusion Preshape Thermoflux
- Top cover: PE Top-Grip perforated 2 mm



01-0400-179-x // S - XXL

95

## SUPREME

Fusion insole with a 3D base construction that includes a Microfiber Top.

- Comfort entry thanks to a Microfiber Top
- Excellent comfort and extra light materials
- Dynamic in the forefoot area
- Volume: Low
- Construction: Fusion Preshape Thermoflux
- Top cover: Microfiber Top



01-0400-160-x // XS - XXL

95

## ADVENTURE

The first Step-In insole for outdoor sports with a 3D base construction and a surface that is 100 % real leather.

- Perforated surface made of 100 % genuine leather for a perfect foot climate
- Maximum cushioning, thanks to PORON® as well as outstanding stability
- Perfect grip for both uphill and downhill sport
- Volume: Mid
- Construction: Fusion Preshape Thermoflux
- Top cover: Leather perforated 1.5 mm





01-0400-161-x // S - XXL

90

## SPEED

Developed for all activities requiring a stable, thin insole for optimum transmission of energy. Thanks to its thin design, this insole can be worn in many different types of shoe.

- Perfect support thanks to a perforated surface
- Extremely thin and lightweight with maximum stability and high transmission of energy
- Volume: Low
- Construction: Fusion Preshape Thermoflux
- Top cover: PE-Top Grip perforated 1.2 mm



01-0400-159-x // XS - XXL

95

## PERFORMANCE

The first Fusion insole for running with a 3D base construction featuring a special rebound effect.

- Lightweight design with improved stability
- Boasts a perforated surface with a Microfiber-Jersey Top and a built-in anti-odor function
- Ideal guide properties and maximum stability
- Offers the perfect combination of cushioning and rebound thanks to PORON®
- Volume: Mid
- Construction: Fusion Preshape Thermoflux
- Top cover: Microfiber-Jersey perforated AOF



Discover now:  
[boot-doc.com/insoles](http://boot-doc.com/insoles)



## RECOMMENDATION

01-2100-060-x // S - L

### NEOPREN COVER

A neoprene protective cover for ski boot and wintersports footwear.

- The perfect insulator featuring durable neoprene
- Fits the shape of the foot perfectly thanks to its stretch material
- Additional volume reduction function
- Wet and cold protection



01-2100-062 // 5S, 5M, 5L  
**DISPENSER**

01-2100-017

### GEL PADS

- "First aid" for bruising caused by the ski boot tongue
- Reduces friction and pressure in the shin area
- Multiple use
- Shape can be individually cut to size
- Size: Uni






















01-2100-058 // 20 pairs  
**DISPENSER**



# STEP-IN INSOLES

BOOTDOC Step-In insoles make for the day perfect – be it playing sports, in the workplace, or enjoying some leisure time. We offer the right model – anatomically preshaped according to the 3-Arch concept or in an anatomically shaped universal fit – regardless of whether the customer is looking for comfort or a sporting challenge. The Step-In design offers something for everyone, as well as quick and easy custom molding of the individual insole.



<b>COMFORT</b> 01-0400-16x-x 	
<b>STABILITY</b> 01-0400-16x-x 	
<b>EXPLORE</b> 01-0400-15x-x 	
<b>FITNESS</b> 01-0400-19x-x 	
<b>CORK</b> 01-0400-190-x 	
<b>BALANCE</b> 01-0400-153-x 	
<b>MOTION</b> 01-0400-158-x 	
<b>THERMO</b> 01-0400-193-x 	
<b>JUNIOR</b> 01-0400-175-xxx 	
<b>GEL COMFORT</b> 01-0400-139 01-0400-140 	
<b>FUNCTION</b> 01-0400-169-x 	
<b>ALLROUND</b> 01-0400-170-x 	
<b>RENTAFIT</b> 01-0400-171-x 	
<b>RENTASOLE</b> 01-0400-172-x 	





MP 23.0 – 31.0

90

## COMFORT

The top 3-Arch Concept model with full-shell technology and dampening element.

- Shape in Mid Arch based on POWER
- A large forefoot dampening material
- Anatomic dampening in the heel
- Dampening in the area of the 5th metatarsal
- Flexzones in arch
- Improved heel cup
- Perfect visibility of arch type colour system
- Volume: Mid
- Construction: Step-In Flex-Full-Shell
- Top cover: Microfiber with anti-odor function



01-0400-165-x

LOW ARCH

Also available in Mid and High Arch



01-0400-166-x

MID ARCH



01-0400-167-x

HIGH ARCH



MP 23.0 - 31.0

90

# STABILITY

The all-purpose 3-Arch Concept genius for all sports that require maximum support and stability within their shoes.

- A large forefoot dampening element
- Anatomic dampening in the heel
- Added dampening at the base of the 5th metatarsal
- Flexzones in arch
- Improved heel cup for better stability
- Perfect visibility of arch type colour system
- Maximum stability in the rear foot area
- Volume: Mid
- Construction: Step-In Flex-Full-Shell
- Top cover: Grip-Mesh with anti-odor function



01-0400-162-x

LOW ARCH

Also available in Mid and High Arch



01-0400-163-x

MID ARCH



01-0400-164-x

HIGH ARCH





MP 23.0 - 31.0

90°

## EXPLORE

Top model in 3-arch concept for outdoor sports.

- Bamboo-Mesh surface for optimal foot climate
- Cork rear foot stabilizer with flex zones
- EVA cork cushioning layer
- Anatomical cushioning elements
- Perfect visibility of arch type colour system
- Volume: Mid
- Construction: Step-In Cork Flex-Full-Shell
- Top cover: Bamboo-Mesh



01-0400-150-x

LOW ARCH

Also available in Mid and High Arch



01-0400-151-x

MID ARCH



01-0400-152-x

HIGH ARCH

## FITNESS NEW

New model in proven 3-Arch concept made of high quality materials with a newly developed shape for all dynamic sports

- New stabilization concept
- Perforated memory foam base body with anatomical cushioning zones in the ball and heel area
- Breathable
- Extremely lightweight and thermally adaptable
- With light pelotte, embedded
- Volume: Mid
- Construction: Step-In Full-Shell Dynamic Sport
- Top cover: Recycle Air Mesh perforated with anti-odor function



01-0400-194-x

**LOW ARCH**

Also available in Mid and High Arch



01-0400-195-x

**MID ARCH**



01-0400-196-x

**HIGH ARCH**



01-0400-190-x // MP 23.0 – 31.0

90°

## CORK

An all-purpose base construction with a cork surface featuring self-regulating moisture management.

- Cork surface with outstanding grip qualities
- Excellent fore foot and rear foot cushioning
- Volume: Low
- Construction: Step-In Dynamic Sport
- Top cover: Cork 1 mm



01-0400-153-x // MP 23.0 – 31.0

90°

## BALANCE

The ultra-thin model for everyday use.

- Cork rear foot stabilizer
- Microfiber coating and perforation
- Heel cushioning
- Volume: Low
- Construction: Step-In Cork Dynamic
- Top cover: Microfiber perforated AOF



01-0400-158-x // MP 23.0 – 31.0

90°

## MOTION

The all-round model for all dynamic sports.

- excellent basic fit with full cushioning layer
- Perfect hold due to EVA Top-Grip surface
- Stabilizer for supporting dynamic movement
- Heel and fore foot cushioning
- Volume: Low
- Construction: Step-In Dynamic Sport
- Top cover: EVA Top-Grip 2 mm





01-0400-193-x // MP 23.0 – 31.0

90

## THERMO

The insole model with Merino coating for optimal foot climate and warm feet.

- Universal basic fit
- Merino fiber coating
- Rearfoot stabilizer with additional heel cushioning
- Volume: Mid
- Construction: Step-In Semi-Shell
- Top cover: Merino Top



01-0400-175-190 // MP 17 – 19  
01-0400-175-210 // MP 20 – 21  
01-0400-175-230 // MP 22 – 23

90

## JUNIOR

Sporty design for children's and youth activities.

- Anatomical insoles for children and teenagers
- Boasts a Mesh Top with a built-in anti-odor function
- Available in 3 sizes
- Volume: Mid
- Construction: Step-In Sport
- Top cover: Mesh AOF



01-0400-139 // 36 – 39

93-100

## GEL COMFORT

GEL COMFORT provide more comfort for the foot, whether for sports or everyday activities.

- Gel insoles made from 2 components for perfect cushioning
- Gentle support for the heel and arch area
- Optimum, universal fit
- Perforated for breathability
- Volume: Mid
- Construction: Gel - Perforation
- Top cover: Jersey







01-0400-140 // 40 - 45

93-100

## GEL COMFORT

**GEL COMFORT** provide more comfort for the foot, whether for sports or everyday activities.

- Gel insoles made from 2 components for perfect cushioning
- Gentle support for the heel and arch area
- Optimum, universal fit
- Perforated for breathability
- Volume: Mid
- Construction: Gel - Perforation
- Top cover: Jersey



**GEL COMFORT** perfect for:



SPORT



DAILY LIFE



BUSINESS



LEISURE

## RENTAL INSOLES



01-0400-169-x // MP 23.0 - 31.0

90

## FUNCTION

**The premium model that guarantees very easy entry.**

- Boasts a Mesh Top with a built-in anti-odor function
- Extremely lightweight with maximum stability
- Perfect transmission of energy thanks to semi-shell construction
- Size is printed on the top surface
- Cardboard packaging
- Volume: Low
- Construction: Step-In Semi-Shell
- Top cover: Mesh AOF





01-0400-T70-x // MP 23.0 – 31.0

90°

## ALLROUND

The dynamic sports design for ambitious skiers.

- Boasts a Mesh Top with a built-in anti-odor function
- Maximum comfort thanks to dynamic sport construction
- Size is visible
- Blister packaging
- Volume: Low
- Construction: Step-In Dynamic Sport
- Top cover: Mesh AOF



01-0400-T71-x // MP 23.0 – 31.0

90°

## RENTAFIT

The all-purpose model with an anatomic base construction for all rental footwear.

- Boasts a Mesh Top with a built-in anti-odor function
- Size is printed on the top surface
- Blister packaging
- Volume: Low
- Construction: Step-In Dynamic Sport
- Top cover: Mesh AOF



01-0400-T72-x // XS – XXL

90°

## RENTASOLE

Reinforced substitute insole for ski rental. Comes in a multipack.

- Insole with sides that differ in hardness
- Can be used to replace worn insoles at ski rental centers
- 12 pairs / units
- Volume: Low
- Construction: Double Layer
- Top cover: Fleece



# TUNE YOUR FEET LIKE A PRO

Your success is important to us!  
That's why we support you with effective advertising material from our Anna Veith campaign:

Posters, stickers, and videos can be downloaded directly from [tunelikeanna.com](http://tunelikeanna.com) and/or ordered from our Customer Service.

TUNE  
LIKE  
ANNA

Anna Veith



ANALYZE



SELECT



CUSTOMIZE

**BOOTDOC**  
TUNE YOUR FEET

**HOTRONIC**<sup>®</sup>  
HEATING SYSTEM

Part of  
**WINTERSTEIGER**  
Group

[tunelikeanna.com](http://tunelikeanna.com)



# POWER FIT SOCKS

The special technology used for Power Fit Socks enables them to provide evenly distributed pressure around the ankle with graduated compression from bottom to top. Power Fit socks gently support muscles and tendons during all levels of sports. This helps keep your legs and feet feeling refreshed after even a long day of skiing, running, hiking, etc. The Power Fit design provides stabilizing support for the whole foot.




ARCH-SUPPORT CONSTRUCTION





## POWER FIT INDEX

The Power Fit Index (PFI) indicates how strong the overall level of gradual compression is: PFI 30 designates light compression, while PFI 90 is classified as strong and is therefore only found in our performance series.



## NATURAL MATERIALS

- **Merino wool** is also known as "nature's functional fiber" because it boasts some unique properties.
- **Silk** is among the most luxurious materials in the textile industry. It is extremely desirable not only due to its pleasant feel on the body, but also because its cooling and comfort qualities are unmatched.
- **Cashmere wool** is a popular product in the luxury textile industry. It comes from the coats of cashmere goats and is a very precious wool.



## ECONYL® REGENERATED NYLON

Nylon waste is converted into new products. The regenerated nylon ECONYL® is equivalent to new manufactured nylon.


- Saving resources
- 100 % recycled



## CUTEC® COPPER TECHNOLOGY

CuTEC® offers a unique approach with the help of copper. This technical fiber is an integral part of the fabric and has an antibacterial and anti-odor effect on the surface.

- Odor reduction
- Improvement of hygiene
- Pleasant skin feeling
- Promotion of a healthy foot climate



Discover now:  
[boot-doc.com/materials](https://boot-doc.com/materials)



# PERFORMANCE POWER FIT SOCKS

More performance, better support, and as a pleasant side effect, warmer feet that feel refreshed. BOOTDOC Power Fit Socks with graduated compression and arch-type support stand out from rivals because of their high-quality workmanship and maximum comfort.



<b>PERFORMANCE</b> 01-0500-14x-x	     
<b>COMFORT</b> 01-0500-14x-x	     
<b>RACE ULTRA</b> 01-0500-146-x	    
<b>RACE MERINO</b> 01-0500-147-x	       
<b>CRYSTAL CASHMERE</b> 01-0500-148-x	    
<b>BASIC</b> 01-0500-149-x 01-0500-150-x	     



S - XL

90  
PFI

## PERFORMANCE

Power Fit Socks with Merino wool and Arch-Type support function for additional warmth, ideal hold and support.

- Anatomical ankle zones
- Foot type-specific support
- Shin and Achilles tendon protector
- Reinforced toe and heel areas
- Compression: strong – PFI 90, 20 – 25 mmHg
- Material: 47 % merino, 45 % nylon, 8 % lycra



01-0500-140-x

Other colors available:



01-0500-141-x



01-0500-142-x



S - XL

70  
PFI

## COMFORT

Power Fit Socks with Merino wool and Arch-Type support function for additional warmth, ideal hold and support.

- Anatomical ankle zones
- Foot type-specific support
- Shin-protector
- Reinforced toe and heel areas
- Compression: medium – PFI 70, 15 – 20 mmHg
- Material: 47 % merino, 45 % nylon, 8 % lycra



01-0500-143-x

Other colors available:



01-0500-144-x



01-0500-145-x









01-0500-146-x // S - XL

50  
PFI

## RACE ULTRA

Thin racing sock with antimicrobial and anti-odor properties thanks to innovative copper thread.

- Racing sock with thin design
- CuTEC® technology
- Antibacterial and anti-odor properties thanks to the use of copper
- Reinforcements in the toe and heel areas
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 59 % polyamide, 36 % polypropylene, 3 % copper, 2 % elastane



01-0500-147-x // S - XL

50  
PFI

## RACE MERINO

Thin merino racing sock with antimicrobial and anti-odor properties thanks to innovative copper thread.

- Racing sock with thin design
- CuTEC® technology
- Antibacterial and anti-odor properties thanks to the use of copper
- Reinforcements in the toe and heel areas
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 52 % merino, 42 % polyamide, 4 % elastane, 2 % copper



01-0500-148-x // S - XL

50  
PFI

## CRYSTAL CASHMERE

Thin, comfortable sock with a combination of selected materials: cashmere, silk, and Merino deliver unique wearing comfort and foot climate. Cozy warm feet with a perfect fit.

- Unique material combination: 44 % polyamide, 27 % cashmere, 12 % silk, 8 % merino, 5 % elastane, 4 % copper
- CuTEC® technology
- Reinforced toe and heel areas
- Compression: soft – PFI 50, 10 – 15 mmHg





S - XL

## BASIC

Multifunctional winter sports socks with protection from the cold thanks to merino.

- Perfect protection thanks to shin protectors
- Fits perfectly with the stretch zone function
- Very durable with special reinforcement in the ankle area
- Material: 36 % acrylic, 26 % nylon, 19 % polypropylene, 17 % merino, 2 % elastane



01-0500-149-x

Other color available:



01-0500-150-x

## RECOMMENDATION

10-3300-101

## TRY ON SOCKS

- Thin Try on Socks for the hygienic boot fitting process (for trying on boots, adjusting insoles)
- 100 pairs in one dispenser
- Size: Uni



# ACTIVE POWER FIT SOCKS

The models in the Active range offer greater performance, optimal support, and quicker recovery. BOOTDOC Power Fit Socks with compression function, Arch-Type support, and copper yarns shine thanks to high-quality workmanship and maximum wearing comfort. The use of copper also has an odor-inhibiting and antibacterial effect.



## ACTIVE HIGH

01-0500-15x-x



## ACTIVE SHORT

01-0500-15x-x



## ACTIVE LOW

01-0500-15x-x



Discover now:  
[boot-doc.com/  
powerfitsocks](http://boot-doc.com/powerfitsocks)







S - XL

70  
PFI

## ACTIVE HIGH

High quality Power Fit Socks from the high-performance range with Arch-Type support function.

- Arch-Support construction
- CuTEC® technology
- Knee high
- Reinforced toe and heel areas
- Achilles tendon protection
- Compression: medium – PFI 70, 15 – 20 mmHg
- Material: 54 % polyamide, 29 % polyamide ECONYL®, 10 % elastane, 6 % polyamide CuTEC®, 1 % copper



**ECONYL®**  
**CuTEC®**

01-0500-151-x

Other color available:



**ECONYL®**  
**CuTEC®**

01-0500-152-x

Performance, Improve, Basic





S - XL

30  
PFI

## ACTIVE SHORT

High quality half-height Power Fit Socks from the high-performance range with Arch-Type support function.

- Arch-Support construction
- CuTEC® technology
- Half-height, ideal for hiking or everyday use
- Reinforced toe and heel areas
- Achilles tendon protection
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 57 % polyamide, 30 % polyamide ECONYL®, 8 % polyamide CuTEC®, 3 % copper, 2 % elastane



**ECONYL®**  
**29 CuTEC®**

01-0500-153-x

Other color available:



**ECONYL®**  
**29 CuTEC®**

01-0500-154-x

 Performance,  Improve,  Basic





S - XL

## ACTIVE LOW

High quality short Power Fit Socks from the high-performance range with Arch-Type support function.

- Arch-Support construction
- CuTEC® technology
- For all applications where short, ankle-high socks are preferred
- Reinforced toe and heel areas
- Achilles tendon protection
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 59 % polyamide, 28 % polyamide ECONYL®, 8 % polyamide CuTEC®, 3 % copper, 2 % elastane



01-0500-155-x

**ECONYL®**  
**CuTEC®**

30  
PFI

Other color available:



01-0500-156-x

**ECONYL®**  
**CuTEC®**



# FOAM LINERS

The perfect fit for all levels of ski boots. An individually fitted pair of foam liners from BOOTDOC is the ultimate choice, with the proven Quick Foam technology guaranteeing optimum comfort.



Watch Foam Liner  
Fitting Video Now!



# THE BEST SKI BOOT FOR EVERY KIND OF SKIER.

## QUICK FOAM CONCEPT

For the Classic Foam and Performance Foam models

- Simple, fast, and uncomplicated
- No need to tape the feet
- Self-regulating foam volume system
- Membrane instead of tubing the forefoot area
- Asymmetrical tongue system
- Sealed seams for more warmth
- HF-fused foam areas (Classic and Performance models)
- Easy removal of the foam tubing
- Spoiler for individual setting of the template

## PRESSURE FOAM CONCEPT

For the Worldcup Foam model

- High-pressure foam design made from 2 components
- Asymmetrical racing tongue design
- HF-fused foam areas
- Adhesive material for problem areas
- Sealed seams for more warmth
- Spoiler for calf adjustment



01-0900-070-x // 22.0 – 31.0

98 – 104

## CLASSIC FOAM

The Quick & Easy construction that offers optimal support.

- Pleasant and easy entry
- 2 Spoiler for cushioning and calf adjustment
- Warmer feet thanks to a neoprene toe box, sealed seams and merino lining
- Fused foam pockets
- Tongue integration
- Anatomical performance for lasts
- Stretchable insoles for optimal fitting of last widths





01-0900-050-x // 23.0 – 31.0

95-102

## PERFORMANCE FOAM

The PERFORMANCE FOAM combines the design of the WORLD CUP FOAM with the sophistication of the Quick Foam concept.

- Optimum transmission of energy through racing inner lining and slim "performance" design
- Strobel sole design
- Worldcup Foam design with membrane and Quick Foam concept
- Perfect fit due to asymmetric tongue
- Warmer feet due to neoprene toe box and sealed seams
- Fused foam pockets
- Redesigned tongue integration
- Anatomical performance for lasts
- Stretchable insoles for optimal fitting of last widths



01-0900-019-x // 23.0 – 31.0

95-102

## WORLD CUP FOAM

The liner for high-performance athletes that fits perfectly thanks to an asymmetrical racing tongue.

- Optimal transmission of energy thanks to a racing lining and slim racing structure
- Always fits perfectly thanks to an asymmetric racing tongue
- Strobel sole design
- Warmer feet thanks to a neoprene toe box and sealed seams
- Fused foam pockets
- Redesigned tongue integration



01-0900-007-x // 22.0 – 31.0

## FOAM TONGUE

An asymmetric, custom tongue for a precise anatomical fit.

- Easy to use thanks to a cartridge system
- Space-saving thanks to an extra thin structure
- Very comfortable foam





55-530-345

## TONGUE GUN

- For use with the tongue foam cartridge



01-2100-057

## FOAM TONGUE STRAP

- Size: Uni



01-0900-013-x // XS - S, M - L, XL - XXL

## TOE CAPS



01-0900-040-x // XS - S, M - L, XL - XXL

## FOAM CAPS



01-0900-021-x // 22.0 - 31.0

## PRESSURE FOAM KIT

For foaming the WORLD CUP FOAM.



01-0900-020-x // 22.0 - 31.0

## FOAM KIT

For foaming all Quick Foam models.



01-0900-071 // 15 g

## ISO HARDENER KIT

- Set of 2 bottles, each with 15 g hardener
- To be added to the Foam Kits to produce a firmer foam





# HEATING AND DRYING SYSTEMS

The XLP P series from HOTRONIC is setting new standards in foot heating systems. The special lithium-ion technology, combined with state-of-the-art electronics, makes the batteries very compact and light. The batteries are barely noticeable and can be controlled either directly or with Bluetooth via the HOTRONIC Heat app. The constant heat level control ensures a consistent temperature throughout use.

The HOTRONIC Heat app is available for free in the App Store and Google Play Store.



 **Bluetooth®**

 Available on the  
**App Store**

 Get it on  
**Google Play**

Discover now:  
[boot-doc.com/hotronic](http://boot-doc.com/hotronic)





## BATTERY PACKS

3 models to choose from. The Bluetooth versions can also be controlled with the HOTRONIC Heat app:

- XLP 2P BT: 4400 mAh
- XLP 1P BT: 2200 mAh
- XLP 1P: 2200 mAh



## RECHARGING


The charging plug including reverse polarity protection for all XLP P models has a USB-A connection, exchangeable 230 V EU, and additional 110 V US power plug. Input: 100 – 240 V, output: 5 V / 3.0 A



## FITTING PERFORMANCE

2 basic versions of the Heat Socks with compression are available to choose from:

- **Comfort:** The material composition and design provide a comfortable fitting sock.
- **Thin:** For customers who want their Heat Socks to take up the minimum possible space inside their footwear. Once again, the compression offers optimum wearing comfort and shoe fit.



## HEATING ELEMENTS

### Surround

- Surround heating element in the outer layer for greater comfort and better heat transmission.
- The battery packs are simply attached to the inner cuffs of the Heat Socks using snap fasteners.
- Five levels of heating power are available and are set on the battery pack itself, including a Power Boost setting for a short boost of extra heat (approx. 3 minutes).



**SURROUND  
TECHNOLOGY**




### Classic

- Classic heating element in the outer layer in the toe and ball area
- The battery packs are simply attached to the inner cuffs of the Heat Socks using snap fasteners.
- Five levels of heating power are available and are set on the battery pack itself, including a Power Boost setting for a short boost of extra heat (approx. 3 minutes).



**CLASSIC  
TECHNOLOGY**







# HOTRONIC HEAT APP

- The 6 heat settings inclusive additional Power Boost level can be conveniently controlled on a smartphone using the HOTRONIC Heat app via Bluetooth
- The app provides an overview of the current battery charge level and the heat settings
- Stand-by mode
- Battery storage mode for summer storage

The HOTRONIC Heat app is available for free in the App Store and Google Play Store.



## DURATION CHARTS







01-0100-351-x // XS - XL

50 PFI

## HEAT SOCKS SET XLP 2P BT SURROUND COMFORT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 4400 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and HOTRONIC heat app
- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % lycra / spandex, 6 % merino



Bluetooth

Available on the App Store

Get it on Google Play

SURROUND  
TECHNOLOGY

01-0100-352-x // XS - XL

50 PFI

## HEAT SOCKS SET XLP 1P BT SURROUND COMFORT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and HOTRONIC heat app
- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % lycra / spandex, 6 % merino



Bluetooth

Available on the App Store

Get it on Google Play

SURROUND  
TECHNOLOGY

Watch new Heat Socks  
product video now!





01-0100-353-x // XS - XL

## HEAT SOCKS SET XLP 1P SURROUND COMFORT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % lycra / spandex, 6 % merino



50  
PFI



**SURROUND  
TECHNOLOGY**



01-0100-354-x // XS - XL

## HEAT SOCKS SET XLP 1P CLASSIC COMFORT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % lycra / spandex, 6 % merino



50  
PFI



**CLASSIC  
TECHNOLOGY**



01-0100-347-x // XS - XL

## HEAT SOCKS SURROUND COMFORT

- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % lycra / spandex, 6 % merino

SURROUND  
TECHNOLOGY

01-0100-332-x // XS - XL

## HEAT SOCKS CLASSIC COMFORT

- Ideal fit
- Ideal moisture transfer
- Additional shin-protector
- Compression: soft – PFI 50, 10 – 15 mmHg
- Material: 74 % nylon, 20 % lycra / spandex, 6 % merino

CLASSIC  
TECHNOLOGY

01-0100-349-x // XS - XL

## HEAT SOCKS SURROUND THIN

- Ideal fit, thin design
- Ideal moisture transfer
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 80 % nylon, 20 % lycra / spandex

SURROUND  
TECHNOLOGY



01-0100-350-x // XS - XL

30 PFI

## HEAT SOCKS CLASSIC THIN

- Ideal fit, thin design
- Ideal moisture transfer
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 80 % nylon, 20 % Lycra / Spandex



**CLASSIC  
TECHNOLOGY**

01-0100-355

## POWER SET XLP 2P BT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 4400 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and HOTRONIC heat app



01-0100-356

## POWER SET XLP 1P BT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and HOTRONIC heat app



01-0100-357

## POWER SET XLP 1P

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power





01-0100-358

## BATTERY PACK XLP 2P BT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 4400 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and heat app



01-0100-359

## BATTERY PACK XLP 1P BT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power
- Controllable via Bluetooth and heat app



01-0100-360

## BATTERY PACK XLP 1P

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology (additional USB charging option)
- Constant heating power



01-0100-361

## RECHARGER XLP P USB LOAD PLUG

- Charger with EU & US plug and USB A connection / output 5.0 V, 3.0 A
- Charging plug with USB A for XLP P battery packs



01-0100-362

---

## USB LOAD PLUG XLP P

- Charging plug with USB A for XLP P battery packs



01-0100-363

---

## RECHARGER XLP P

- Charger with EU & US plug and USB A connection / output 5.0 V, 3.0 A



01-0100-364 // 1200 mm

---

## EXTENSION CORD XLP P

- 2 Extension cable for routing the XLP P battery pack fastener





Watch new Heat Socks  
video now!



01-0100-5205 // 110 – 230 V // 12 V // 6 W

## MICRO DRY

Compact electric shoe and boot dryer.

We're all familiar with that unpleasant feeling of walking around in cold, wet shoes. Thanks to the MICRO DRY, this is now a thing of the past! The handy shoe and boot dryer for the home and on the go dries ski and snowboard boots, winter boots, casual footwear, sneakers, and work boots gently and efficiently. Gentle drying means that the material is not damaged or even deformed. With its compact dimensions, this lightweight drying device can be placed in the smallest bag and can be conveniently taken anywhere.

The MICRO DRY is extremely flexible. You can use it at home or in a hotel, when you're out for a day of winter sports, or on the way to work: simply plug it in to the 12 V outlet in your car and preheat your shoes.

- Gentle drying temperature and airflow to ensure a longer lifetime for your shoes and boots
- Optimum heat circulation
- Protection against overheating (max. 70 °C)
- Includes 230 V plug, 110 V plug and 12 V car adapter



MICRO DRY perfect for:



SKIING



HIKING



RIDING A BIKE



RUNNING



DAILY LIFE



BUSINESS



LIFESTYLE



WORK



01-0100-5207 // 230 V // 300 W

## TECH DRY

Electric dryer for shoes, boots, gloves, and helmets.

Using warm air, TECH DRY dries wet shoes, boots, ski boots, and gloves, as well as motorbike, bicycle, and horse-riding helmets, in a short time and without damaging the material. Even leather boots and shoes can be dried thoroughly and with care. As soon as the footwear or helmet is pulled over the drying attachment, the program starts automatically and warm air is circulated throughout the footwear or helmet.

In the winter months, the TECH DRY is indispensable for all those who like to be outdoors whatever the weather, and it can also be used for preheating.

- Time and temperature setting
- Temperature scale up to 60 °C
- Automatic start/stop operation when items are placed on, or removed, from machine
- Digital display
- Overheat protection switch-off for greater safety
- Quiet operation
- Removable attachment for shoes, boots, or helmets
- Scope of delivery: 230 V plug



TECH DRY perfect for:



BOOTS



GLOVES



HELMETS



RUNNING SHOES



HIKING BOOTS

01-2100-024

## SKIBOOT BAG

- Material: 54 % polyester, 46 % nylon
- Dimensions: 270 x 400 x 440 mm (W x H x D)



01-2100-122

## RACING BAG PRO

- Capacity: 70 liters
- Many practical compartments and storage options
- Stowage net on side and fastening cord on top
- Anatomically adaptable carry system
- Material: 54 % polyester, 46 % nylon
- Dimensions: 440 x 540 x 330 mm (W x H x D)

The rucksack can also be equipped with a heating element (220 V / 12 V)



01-2100-112

## TRAVEL BAG

- Capacity: 90 litres
- Removable grip
- Low-noise rollers
- Material: 100 % nylon 400 D, water repellent
- Dimensions: 330 x 700 x 410 mm (W x H x D)



01-2100-113

## BACK PACK TROLLEY

- Capacity: 40 litres
- Removable grip
- Low-noise rollers
- Material: 100 % nylon
- Dimensions: 400 x 550 x 180 mm (W x H x D)



01-2100-082

## HEATED SKI BOOT BAG

- Can be used with a carrying strap or as a backpack
- Removable heating element on 3 sides of the bag for even heat distribution
- Additional compartment for accessories
- 230 V power plug and 12 V car adapter
- Material: 54 % polyester, 46 % nylon
- Dimensions: 440 x 490 x 260 mm (W x H x D)



01-2100-123

## HEATED RACING BAG PRO

- Capacity: 70 liters
- Many practical compartments and storage options
- Stowage net on side and fastening cord on top
- Anatomically adaptable carry system
- Heating mat with 230 V power plug and 12 V car adapter
- Material: 54 % polyester, 46 % nylon
- Dimensions: 440 x 540 x 330 mm (W x H x D)



01-2100-106 // 230 V / 12 V

## SPARE MAT

- SKIBOOT BAG
- RACING BAG PRO



## DESIGN YOUR OWN HEATED BAG

- Strengthen team spirit with branded heated bags and successfully promote customer loyalty
- From a total order quantity of 100 units
- Material: 54 % polyester, 46 % nylon
- Dimensions: 440 x 490 x 260 mm (W x H x D)



Discover now:  
[boot-doc.com/bags](https://boot-doc.com/bags)





# HOTRONIC FOR EVERYONE: FROM OUTDOORSMEN TO SKI RACERS

**Tom Maneggia**, owner of Norse House (opened in 1961), is successful with two HOTRONIC products: the S Series "Foot Warmer" and the Heat Socks XLP. In an interview with Chris Behn, WINTERSTEIGER Territory Manager, he tells us what he likes about the products and the HOTRONIC brand.

**Chris Behn:** For many years, you had strong sales in HOTRONIC Foot Warmers. What about HOTRONIC did you like and what about the product helped you sell it so consistently?

**Tom Maneggia:** It is a proven and reliable product with shipping and customer service in Vermont. We were able to place last minute orders and receive them in one or two days.

**Chris Behn:** Five years ago, your business with us decreased dramatically. What factors lead to this?

**Tom Maneggia:** The advent of heated socks was the game changer. We were able to offer a product to a broad range of activities with no installation necessary and the customer could use it immediately.

**Chris Behn:** However, starting in early 2021, you placed a couple of orders for both Foot Warmers and XLP One Heated Socks Sets. Now, you have placed a preseason order for the 21/22 season with us and for both Foot Warmers and the XLP P Heated Socks. What lead you to coming back to HOTRONIC and deciding to carry Foot Warmers again?

**Tom Maneggia:** The decision to return to HOTRONIC was made as a group decision. On the Foot Warmers it became apparent that there are still many dedicated consumers that love them and want to continue having them, catering to our customer needs dictated that we carry the product and HOTRONIC Foot Warmers are unquestionably the best boot heater system.



On the heated socks there were multiple factors that made the decision to go with HOTRONIC XLP P socks easy. Multi ship dates, USA distribution and excellent customer service were key. On the product side, the new XLP 1P and 2P batteries with the longer run time and ease of BT compatibility that far exceeds any other competitors. The superior fit of the socks while offering both regular and thin fit as well as classic and surround heating allows for these to be sold in any category from outdoorsman to ski racer. All in one packaging as well as à la carte means easy up sell opportunity. Pricing and margins that are better.

**Chris Behn:** Please add any thoughts about HOTRONIC and your sales in this category you would like to!

**Tom Maneggia:** HOTRONIC has always had excellent warranty support and service. The sock category was dominated by a competitor, but the latest products from HOTRONIC have now far surpassed those.

Read the complete  
News Magazine now!



# ANALYSIS & FITTING

Professional fitting is based on analysis of the foot. From the three-dimensional representation of both feet using the BOOTDOC 3D Scanner VANDRA to its easy-to-use Feet View, BOOTDOC offers several devices that revolve around this. Because each BOOTDOC insole can be heated and custom molded and BOOTDOC has designed specific heating devices for each category of insole and customization. Depending on the style of insole, and experience of the shop, the BOOTDOC insoles can be customized by using a specialty VAC system, Autofit BT or molding pillows.



Discover now:  
[boot-doc.com/analyse](http://boot-doc.com/analyse)



## Analyzing systems



ER\_WIN 3D FOOT SCAN



3D SCANNER VANDRA



PODOSCOPE 4




FEET VIEW



FMD FOOT MEASURE DEVICE

## Heating systems



3D HEATER



SPEED HEAT DIGITAL 3L



HEAT GUN

## Fitting systems



AUTOFIT BT



VAC IV ELECTRIC



PILLOWS 13

## Fit stations



AUTOFIT CENTER BT



FIT CENTER

# HYGIENIC. FAST. EASY.

BOOTDOC and Easyrent technologies have been combined in a 3D foot scan system as part of an interdepartmental development project. ER\_WIN measures the foot automatically, without making any contact. The result is displayed on a 15-inch screen in seconds. The customers can wear their socks during the 2-second scan process thereby ensuring a hygienic, fast, and easy process. During development, the focus was on sturdy construction to withstand the frequent use in ski rental shops. Cameras and sensitive system components are fully integrated into the housing for years of use in the demanding environment. The scanner is the ideal tool for a precise, contactless, and fast rental process, and offers the optimal modern solution for both the customer and the sports retailer.



The scanner is the perfect accompaniment to servicing the customer and ensures that the right ski boots and insoles are quickly found. This results in profitable add on sales not just in winter, but all year round.

Discover now:  
[boot-doc.com/erwin](http://boot-doc.com/erwin)





01-2300-180

## ER\_WIN 3D FOOT SCAN NEW

**Hygienic. Fast. Simple.**

- Automatic and contactless
- The result is displayed in seconds
- Robust design, attractive design
- Dimensions: 800 x 260 x 810 mm (W x H x D)

A permanent connection to the internet via WLAN or LAN is recommended to provide updates and support

\*Screen included in scope of delivery



01-2300-181

## ER\_WIN FLOOR BASE NEW

- Dimensions: 430 x 430 mm (W x D)
- Total height including screen: 1350 mm

\*PRINTER STAR TSP143IIU ECO and Screen not included



01-2300-190

ER\_WIN WEIGH MODULE



Start: the customer must roll up their pants (to expose the ankle) and step on the scanner. The feet should be parallel within the markings. Select the category and gender. Start the scanning process.



The scanning process takes just a moment



Overview of results



The length measurement is displayed



The width measurement of the forefoot is displayed



The instep height measurement is displayed

01-2300-110

## 3D SCANNER VANDRA

The Vandra 3D foot scanner delivers a three-dimensional image of both feet in seconds.

Thanks to the latest technology of 4 depth compensation cameras both feet are measured and 3D rendered within a few seconds. The visualized 3D picture is of the highest precision and can be analyzed from various angles. Just step on the 3D Scanner without any other device. No changing of socks or special equipment is required. This guarantees efficiency, high comfort, and no hygiene hassle during the analysis process. The 3D Scanner Vandra offers vast information about, and eleven measurements of, the foot. The result is visualized in the split-screen app on the tablet. The left side shows the 3D rendered foot which can be looked at from all angles with zoom in / out function. The right side allows you to scroll up or down to view all the measurement data. The result of the analysis is a vast number of information and measurements around the foot. The Vandra can not only provide length and width but also arch type, instep height, volume recommendation and other useful information to allow for the best customer service. The data is anonymously stored in an online cloud and is being used for further developments around the footwear and insole business. It's amazing how simple it is to use the Vandra 3D Scanner. The plug & play version includes an intuitive portable touchscreen tablet that is easy to use. The analysis process is done within a few seconds and can be discussed with the customer using the tablet for visuals.



- Length and width of both feet as well as size recommendation in US, UK, EU, MP with manual correction option
- Visualization of the foot type LOW / MID / HIGH arch
- Zoom in / out function on the 3D model
- Instep height and heel circumference
- Instep length as well as width and volume recommendation
- Measurement information can be e-mailed to clients
- Dimensions: 800 x 320 x 670 mm (W x H x D)

A permanent connection to the Internet via WLAN or LAN is necessary.



SCREEN SHARING



TABLET SHARING

Discover now:  
[boot-doc.com/vandra](http://boot-doc.com/vandra)



01-2300-114

## 3D SCANNER STEP UP BOX

Following a slight increase in the height of the pedestal, the 3D Scanner Vandra now has a better presence in-store is protected by the Step Up Box.

- Dimensions: 880 x 440 x 770 mm (W x H x D)

\*3D SCANNER VANDRA not included



01-2300-102

## TABLET VANDRA

The Tablet Vandra is needed to use the 3D Scanner. Information sharing is possible when several tablets are in use. Model and colour may vary from product shown.

- Dimensions: 240 x 170 x 60 mm (W x H x D)



01-2300-098

## TABLET SAFETY DISPLAY

The Tablet Safety Display protects the Tablet Vandra and is also fitted with an anti-theft feature.

- Dimensions: 330 x 1320 x 300 mm (W x H x D)

\*TABLET VANDRA not included



01-2300-099

## SCREEN CASTING SET VANDRA

The Screen Casting Set Vandra is needed to display the content of the Tablet Vandra on a larger screen or TV via the screen-sharing function.



01-2300-150

## INFO SET STEP UP BOX


Information sign in two languages, printed on both sides.



GERMAN



ENGLISH



## ELO TOUCH

As an alternative to operate the Vandra 3D foot scanner with the tablet, the Elotouch version opens up new possibilities for system presentation and operation.



01-2300-171  
ELO BARCODE SCANNER 2D

01-2300-166 // 546 mm

## ELO I-SERIES 2.0

21.5" screen shows the results of the Vandra 3D foot scanner down to the smallest detail. The explanation of the results and operation make foot analysis an attractive service in every shop.

- SSD
- Android





01-2300-167

## ELO WALLABY SELF SERVICE STAND

Sturdy, high-quality display, easy to mount, and printer connection is also quick.

- Dimensions: 160 x 1200 x 140 mm (W x H x D)

\*PRINTER STAR TSP143IIU ECO not included



01-2300-168

## ELO WALLABY FLOOR BASE

Sturdy, high-quality display, easy to mount, and printer connection is also quick.

- Dimensions: 570 x 30 x 370 mm (W x H x D)



01-2300-169

## PRINTER STAR TSP143IIU ECO

- Slip printer, thermal direct
- 8 points / mm (203 dpi)
- Variable paper width (58 / 80 mm)
- Maximum print width: 72 mm
- Cutter
- ESC / POS
- USB cable and power cord

01-2300-186 // 80 mm

**SPARE PAPER ROLL:  
PRINTER STAR TSP143IIU ECO**



01-2300-146

## PODOSCOPE 4

**Precise display of the foot type (LOW, MID or HIGH Arch) via an LED illuminated glass plate**

- Professional analysis and fitting are possible even in very small areas
- Heating and fitting devices can be combined perfectly
- Dimensions: 580 x 1170 x 790 mm (W x H x D)

\*SPEED HEAT DIGITAL 3L not included

\*Inclusive L & B Measuring Gauge




01-2300-072

## FEET VIEW

**The FEET VIEW offers the simplest form of foot analysis that determines foot arches and sizes quickly.**

- Integrated length and width measurement
- Uses a non temperature specific foil, which allows year round use
- Dimensions: 250 x 50 x 480 mm (W x H x D)



01-2200-049 // 5 pieces  
**FOIL FEET VIEW**



01-2300-118

## FMD FOOT MEASURE DEVICE

- Robust and simple foot measuring device
- Displays the length of the foot / shoe size as well as the width of the foot
- Classifies the foot as narrow / medium / wide
- Folding mechanism for easy cleaning
- Dimensions: 470 x 520 mm (W x H)



57-305-004

## MEASURING GAUGE BRANNOCK

**A robust foot measuring gauge for precise Mondopoint determination of the foot length and width in millimeters.**

- Up to MP 34.0



57-305-007

## MEASURING GAUGE BRANNOCK JUNIOR

A robust foot measuring gauge for precise Mondopoint determination of the foot length and width in millimeters.

- Up to MP 24.0



01-2300-142

## FIT CENTER

The Fit Center has a new ergonomic design and comes in a number of different configurations.

- Modular, compact analysis and adjustment center
- Electrically height-adjustable seat
- Height-adjustable handholds
- Removable module for analysis options
- Dimensions: 770 x 1310 x 810 mm (W x H x D)

\*Devices not included in scope of delivery




01-2300-143 // 110 / 230 V

## PODOSCOPE FIT CENTER

Precise detection of the foot type (LOW, MID or HIGH arch) via an LED illuminated glass plate.

- Professional foot analysis in the smallest footprint
- Dimensions: 440 x 200 x 580 mm (W x H x D)

\*Inclusive L & B Measuring Gauge



# AUTOFIT BT

The fitting system for insoles.

The patent-pending AUTOFIT system adapts insoles to the customer's foot shape automatically and in next to no time. All functions are easily controlled from a tablet. The Fit Pods are electrically adjusted to the respective hip width and the preheated insoles are pressed against the foot using a special membrane and air pressure.

To facilitate optimum positioning of the insoles in the Fit Pods, a vacuum is generated first. The fore foot covering is adjusted to the correct shoe size and the preheated insoles are inserted. The customer then places their feet on the insoles. Depending on their preference, this fitting can be done while sitting or standing. A laser helps to align the leg axis. After switching the AUTOFIT from vacuum to air blowing, the membrane is pressed against the foot from the fore foot to the heel. The weight of the customer and the type of fitting can be defined. The preheated and thus flexible insole hardens in the exact shape formed by the foot with a partial weight bearing. The result is a perfect fit! The processing time can be adjusted precisely within a predefined time frame and optimized for the respective insole type. Errors in insole production are prevented thanks to the simple, quick, and automated procedure, and reproducible results are ensured. This technical innovation allows for the adaptation of STEP-IN, FUSION, and also 3D insoles.

The Fit Pods and the membrane can be easily replaced if required. AUTOFIT is offered as a stand-alone solution, but can also be integrated into the AUTOFIT CENTER BT. Along with hand holds, it is also equipped with a seat height adjustment, which can also be controlled via the tablet so that the customer can always maintain a 90° position to the Fit Pods for a seated fitting.



01-2300-155 // 2 pieces  
**SILICONE AUTOFIT BT**

- Automatic insole adjustment in compact design
- Electric hip width adjustment
- Laser-assisted leg axis alignment
- Control via app
- Tablet with installed app included
- Dimensions: 653 x 157 x 555 mm (W x H x D)



Open / Start the pre-installed app on the supplied tablet.



Start of the process by creation of the vacuum. Positioning of the forefoot cover and insertion of the warm insole.



Adjusting body weight and cooling time and whether seated or standing is adapted.



After positioning the feet on the preheated insoles, START of the adjustment process by PUMP. During the fitting procedure the pressure as well as the cooling time can be changed.



- Adjusting seat height and position the Fit Pods
- On / Off the laser function

Discover now:  
[boot-doc.com/autofit](http://boot-doc.com/autofit)





01-2300-158

## AUTOFIT CENTER BT

The AUTOFIT CENTER BT with integrated AUTOFIT BT boasts an ergonomic design and compact dimensions.

- Modular, compact fitting center with small dimensions
- Electric, height-adjustable seat
- Height-adjustable and rotatable handles
- Retractable module for compact storage
- Flexible mounting attachment for the tablet with anti-theft device
- Dimensions: 820 x 850 x 1150 mm (W x H x D)

\*AUTOFIT BT and TABLET AUTOFIT BT not included



01-2300-159

## TABLET AUTOFIT BT

The tablet is needed to use the AUTOFIT BT. Model and colour may vary from product shown.

\*Picture only symbol photo, model and color may vary




01-2300-153

## AUTOFIT POD

Membrane system with air pressure application for the customization of insoles

- Left



01-2300-154

## AUTOFIT POD

Membrane system with air pressure application for the customization of insoles

- Right



01-2300-140 // 110 / 230 V

## VAC IV ELECTRIC


**Electric Vacuum Casting System for molding custom insoles.**

- 2 separate, large silicon cushions with additional width-adjustment feature provide for perfect processing
- Speed regulator ensure optimum cushion firmness and air pressure
- High-quality silicon for longevity and excellent heat absorption
- Anti-slip protection in cushion area
- Dimensions: 524 x 150 x 590 mm (W x H x D)

Suitable for FIT CENTER



01-2300-141 // 220 x 50 x 430 mm (W x H x D)  
**PILLOW VAC IV**



01-2300-145 // 2 pieces  
**COOL PACK**

01-2300-058

## PILLOWS 13

**Molding pillows that enable Step-In insoles to be fitted quickly.**

- Dimensions: 170 x 90 x 420 mm (W x H x D)

Suitable for PODOSKOP




01-2300-131

## BASEPLATE PILLOWS

- Dimensions: 550 x 40 x 468 mm (W x H x D)

Suitable for FIT CENTER




10-3100-283

## FOAMING WEDGE

**Foam wedge that enables foam liners to be fit perfectly.**

- Dimensions: 570 x 100 x 440 mm (W x H x D)

Suitable for PODOSKOP





01-2300-018 // 110 / 230 V

## 3D HEATER

**Heats up 3D Custom insoles quickly and evenly.**

- Heats all layers evenly
- Time and temperature can be set individually
- Easy cleaning thanks to glass-ceramic surface
- Dimensions: 400 x 105 x 500 mm (W x H x D)



01-2300-132 // 230 V

## SPEED HEAT DIGITAL 3L

**The device that heats Fusion and Step-In insoles to the recommended temperature within seconds.**

- 3 Integrated SPEED HEAT LAMP and one spare lamp
- Switchable lamp in the heel area to heat this area as well
- Digital variable heating time setting
- Dimensions: 310 x 260 x 150 mm (W x H x D)

Suitable for AUTOFIT CENTER BT  
Suitable for PODOSKOP  
Suitable for FIT CENTER

\*Lamps are included and not built in to avoid damage during transport



01-2300-148  
**SPEEDHEAT FIXATION  
FIT CENTER  
AUTOFIT CENTER BT**





01-2300-091 // Makita // 230 V

## HEAT GUN

A high-performance dryer that enables Step-In insoles to be heated up quickly and easily.



01-2300-053 // 230 V / 300 W

## SPEED HEAT LAMP

Spare lamps for the Speed Heat Digital 3L.

- 2 pieces



01-2300-147

## SERVICE CHAIR



# FITTING TOOLS

The materials needed to customize footwear for the perfect fit. With the help of BOOTDOC's wide range of fitting materials and devices, every boot fitter has the opportunity to fit 100 % of foot types. We have very high standards in this area, which enables us to meet the requirements of fitting specialists completely.



Discover now:  
[boot-doc.com/fitting](https://boot-doc.com/fitting)



01-2100-040

## FIT MAT RAW

### Grip Surface

- Dimensions: 230 x 270 x 5 mm (W x H x D)
- 10 pieces / units



01-2100-027

## FIT MATERIAL

### Perforated Surface

- Dimensions: 300 x 380 x 3 mm (W x H x D)
- 5 pieces / units



01-2100-054

## FIT MAT FOAM

### Grip Surface

- Dimensions: 230 x 270 x 5 mm (W x H x D)
- 10 pieces / units



01-2100-128

## FIT MAT FOAM

### Perforated Surface

- Dimensions: 230 x 270 x 5 mm (W x H x D)
- 10 pieces / units



01-2100-074

## FIT MAT FOAM LINER

Original adhesive foam liner for the foaming process.

- Dimensions: 230 x 270 x 5 mm (W x H x D)
- 10 pieces / units



01-2100-034-x // S - L // 5 mm

## FIT MAT BUTTERFLY

### Grip Surface

- 10 pieces / units



S 01-2100-124 // 5 mm  
L 01-2100-125 // 5 mm

## FIT MAT BUTTERFLY

### Perforated Surface

- 10 pieces / units



01-2100-037-x // S - L // 3 mm

## FIT MAT HEEL

### Grip Surface

- 10 pieces / units



01-2100-041-x // S - L // 3 mm

## FIT MAT TONGUE

### Grip Surface

- 10 pieces / units



01-2100-035 // 5 mm

## FIT MAT C

### Grip Surface

- 10 pieces / units
- Size: Uni





01-2100-126 // 5 mm

## FIT MAT C

### Perforated Surface

- 10 pieces / units
- Size: Uni



01-2100-036-x // S - L // 3 mm

## FIT MAT CALF

### Grip Surface

- 10 pieces / units



01-2100-050

## FIT TEMPLATES

- 10 pieces / units
- Size: Uni



01-2100-039 // 5 mm

## FIT MAT L

### Grip Surface

- 5 pairs / units
- Size: Uni



01-2100-127 // 5 mm

## FIT MAT L

### Perforated Surface

- 5 pairs / units
- Size: Uni



01-2100-066-x // 3 mm // S - L  
01-2100-067-x // 5 mm // S - L  
01-2100-101 // 9 mm

## FIT MAT HEEL WEDGE

- 10 pieces / units



01-2100-042-x // 3 mm // S - L  
01-2100-043-x // 5 mm // S - L

## FIT MAT VOLUME

- 10 pieces / units



01-2100-100

## FIT MAT HEEL WEDGE GEL

5-mm heel wedge with additional gel insert for optimum cushioning

- 2 pieces



01-2100-101-x // S - L

## FIX 4 HEEL

- Improved heel support in ski boots with the FIX 4 HEEL system
- Individually adjustable for optimum heel support
- 1 pair / units





01-2100-047

## FITTING TOOL SET

- Inclusive ALU ANKLE PARTS and LENGTH EXTENSION

Case only: 10-5000-031



01-2100-085

## WOODEN LAST SET II

- Newly developed shapes and geometries
- The basic shapes can be adapted to individual needs by grinding



01-2100-048

## PRESS TOOL

- Easy to use thanks to its manual screw, hydraulic pump function
- Inclusive LENGTH EXTENSION



01-2100-095

## HYDRAULIC PRESS II

- Easy & quick use in any area of the ski boots
- Hydraulic hand pump with safety valve (> 95 bar)



01-2100-088 // 2,5 kg

## HYDRAULIC PRESS SET II

- Easy & quick use in any area of the ski boots
- Hydraulic hand pump with safety valve (> 95 bar)
- Flexible hydraulic tubing with expanding piston
- 5 different extension parts
- 7 different shapes
- Dimensions: 405 x 395 mm (W x H)





01-2100-044

## ANKLE HAND SET

- For expanding the ankle and other points of the shell
- Inclusive MOUNTING POST

Case only: 10-5000-30



01-2100-079

## ALU ANKLE PARTS PRESS TOOL

- Specially designed for stretching specific areas of ski boot shells



01-2100-078

## PRESS TOOL LENGTH EXTENSION

- For use with the press tool for stretching the length of shoes



55-104-320

## FLEXIBLE SHAFT GRINDER

Basic device



55-104-322 // 1500 mm

## FLEXIBLE SHAFT GRINDER

Flexible shaft and collet wrench

55-104-330 // 1500 mm  
SPARE SHAFT CORE

55-104-324 // 6 mm // M 12

## FLEXIBLE SHAFT GRINDER

Shaft



55-104-326 //  $\varnothing$  30 mm // M 12

## FLEXIBLE SHAFT GRINDER

Carbide burr, ball



55-104-328 //  $\varnothing$  25 x 35 mm // M 12

## FLEXIBLE SHAFT GRINDER

Carbide burr, egg



01-2300-103 // 24 kg

## GP PODO MINI

- Table grinding machine
- Drive motor with 100 mm grinding disc
- Compatible with grinding and milling bits of up to 140 mm
- Dust filter, suction, voltage 230 V, 1 Ph, 50 Hz
- Dimensions: 560 x 480 x 230 mm (W x H x D)



01-2300-115  
**SPARE GRINDING BELT:  
GRINDING BELT PODO  
MINI K36**

01-2300-116  
**SPARE GRINDING BELT:  
GRINDING BELT PODO  
MINI K24**

01-2100-086 // 230 V // 50 / 60 Hz // 180 Watt

## ELECTRIC GRINDER

- Easy and fast handling, operated by foot pedal
- Motor (20,000 rpm), control pedal and different attachments



01-2100-129  
**SPARE FOOT PEDAL**

01-2100-129  
**SAPRE SPINDLE**

01-2100-131 // 5 pieces  
**SPARE GRINDING WHEELS**

01-2100-087

## BOOT OPENER II

- Ergonomic working position thanks to 360° rotation quick lock
- Stainless steel
- Rotary vise boot opener structure with 2 pairs of hooks in different sizes



01-2100-114

## ULTRACAM UP BASIC

- 1 Stretch Arm + 1 Ankle Arm
- Separate controls for temperature and time
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.
- Three sets of milled ankle stretch forms
- Three pairs of lasts with various small adapters



01-2100-115

## ULTRACAM UP STRETCH ARM

- Second stretch arm for ULTRACAM UP BASIC
- Can be easily mounted on the basic device
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.



01-2100-116

## ULTRACAM STAR ANKLE ARM

- Single, electric
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Separate controls for temperature and time
- Three sets of milled ankle stretch forms
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.



01-2100-119

## ULTRACAM STAR ANKLE ARM

- Double, electric
- Can handle two ski boots simultaneously and independently from each other
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Separate controls for temperature and time
- Three sets of milled ankle stretch forms for each arm
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.

\*DIGITAL MEASURING GAUGE not included



01-2100-118

## ULTRACAM STAR ANKLE ARM

- Single, without time and temperature control
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Three sets of milled ankle stretch forms



01-2100-117

## AIRCOOLING SET

- Four-Way
- Compressed air hose set for ULTRACAM UP and STAR devices
- Easy installation: Connect the air-cooling set with the respective ULTRACAM device and your compressed air generator, open the respective air valves and cool down the heated ski boots in approx. 20 min.



01-2100-120 // 3 + 3

## ULTRACAM STAR SET ANKLE STRETCH FORMS

- Milled ankle stretch parts with a smooth surface
- Includes two sets of round ankle parts in two sizes and a set with an elliptical shape



01-2100-121

## DIGITAL MEASURING GAUGE ANKLE ARM

- Can be mounted on all ULTRACAM STAR ankle stretch devices and ankle stretch arms of the ULTRACAM UP and helps to determine and track the deformation depth



01-2100-132

## ULTRACAM UP SET OF LASTS

### Casual

- With various small adapters



55-125-200

## WORK BENCH

**Inclusive wooden worktop, wheels and 3 lockable drawers. The perfect bench for any boot fitting tools**

- Mobile
- Dimensions: 800 x 905 x 525 mm (W x H x T)

\*ULTRACAM not included









01-2200-035-x // XS - S  
 01-2200-036-x // M - L  
 01-2200-037-x // XL - XXL

## HEEL CUP SOFT


- Stabilizer
- Self-adhesive tape included



01-2200-031-x // XS - S  
 01-2200-032-x // M - L  
 01-2200-034-x // XL - XXL

## HEEL CUP STIFF

- Stabilizer
- Self-adhesive tape included



01-2200-040

## HEEL PERFORMANCE


- Stabilizes 3D insoles
- Size: Uni



01-2200-041

## HEEL COMFORT

- Stabilizes 3D insoles
- Softer material, perforated
- Size: Uni



01-2100-029-x // S - XL

## PELOTTEN

- Microfiber cover
- Self-adhesive
- 10 pairs / units



01-2200-042-x // XS – XXL // 1.2 mm

## REFOSTAB 3/4

- Self-adhesive reinforcing materials for use in the heel and midfoot areas



01-2200-043-x // XS – XXL // 1.2 mm

## REFOSTAB ARCH

- Self-adhesive reinforcing materials for use in the longitudinal arch area



01-2200-044-x // XS – XXL // 1.2 mm

## REFOSTAB HEEL

- Self-adhesive reinforcing materials for use in the heel area



01-2200-033

## 3D TEMPLATES

- Templates for precise size determination
- Size: Uni



01-2200-051-x // XS – XXL

## ARCH POST

- Self-adhesive stabilization elements that are attached medially and laterally to the underside of insoles
- Can be adapted by grinding
- Contents: 2 medially (R + L), 2 laterally (R + L)



01-2100-108

---

## TOP SHEET MERINO

- Dimensions: 120 mm x 10 m, 2 mm



01-2100-055

---

## TOP SHEET MICROFIBER

- Dimensions: 120 mm x 10 m, 0.6 mm



01-2100-056

---

## TOP SHEET SYNTHETIC LEATHER

- Dimensions: 120 mm x 10 m, 0.9 mm



01-2100-060

---

## TOP SHEET CAMBRELLE

- Dimensions: 120 mm x 10 m, 0.6 mm



01-2100-109

---

## TOP SHEET TX MATERIAL ROLL

- Dimensions: 120 mm x 10 m, 0.6 mm



01-2300-082

## SCISSOR STRAIGHT

- For a precise straight cut



01-2300-084

## SCISSOR CURVED

- For a precise curved cut



01-2300-083

## KNIFE

- For a precise cut



01-2100-051

## HYGIENE SPRAY



01-2100-052

## COOLING SPRAY



01-2100-053

## SILICONE SPRAY






# BOOTDOC ACADEMY

The BOOTDOC ACADEMY program is a unique boot-fitting training program and offers every technician an introduction to, or advanced training in, boot fitting. Learn from top professionals and pick up tips and tricks that will enable you to provide your customers with the best footwear fitting service. Since the number of participants is limited, individual assistance is guaranteed during the seminar, and there is sufficient time to practice skills directly on the products.

Newcomers should choose the basic boot fitting seminar, while more experienced participants can register directly for the ADVANCED course.

- Bring your own ski boots or some old ones so that they can be ground and expanded.
- You will receive precise details of what the program involves, hotel options, the location and how to get there after you have registered. Please send your registration to [office@boot-doc.com](mailto:office@boot-doc.com).
- Every participant will receive a personal certificate and participation confirmation from the BOOTDOC ACADEMY.



# RETAIL & PROMOTION



10-3100-338

## WALL DISPLAY

BOOTDOC / HOTRONIC

- Dimensions: 500 x 1600 x 400 mm (W x H x D)



10-3100-356

## SOCKS DISPLAY NEW

- With 12 hooks for approx. 60 pairs of socks
- Quick and easy to assemble
- The information is basically available in German, English, French and Italian. These can be fixed accordingly on the display to support the sales process
- Dimensions: 600 x 1500 x 362.8 mm (W x H x D)



10-3100-343

## 3D COVER SIGN

For WALL DISPLAY

- Dimensions: 490 x 1480 mm (W x H)



10-3100-331 // 530 x 1050 mm (W x H)  
**SLATWALL PRESENTER: FOLDED  
 CARDBOARD WALL WITHOUT HOOK**

10-3100-324 // 300 mm

## SLATWALL HOOKS

Universal

- 10 pieces



10-3100-325 // 300 mm // HOTRONIC

## SLATWALL HOOKS

- 10 pieces



10-3100-326 // 300 mm // BOOTDOC

## SLATWALL HOOKS

- 10 pieces



10-3100-327 // BOOTDOC

## MAGNET SIGN COUNTER DISPLAY & WALL DISPLAY

- Dimensions: 300 x 120 mm (W x H)



10-3100-328 // HOTRONIC

## MAGNET SIGN COUNTER DISPLAY & WALL DISPLAY

- Dimensions: 300 x 120 mm (W x H)



10-3100-339

## PORON® DEMO SET

- Shows the mode of action and dampening effect of various PORON® materials



10-3100-291

## CARPET

### FOOTCHECK

- Dimensions: 1200 x 750 mm (W x H)



10-3100-086

## CARPET

### BOOTDOC

- Dimensions: 750 x 500 mm (W x H)



10-3100-336

## CARPET

### HOTRONIC

- Dimensions: 1200 x 750 mm (W x H)



10-3100-354

## CARPET

### ASC

- Dimensions: 2000 x 2000 mm (W x H)



10-3100-355

## DEMO INSOLE COMFORT NEW

### Large

- Dimensions: 850 mm





10-3100-082

## FOOT MODEL

Skeleton



10-3100-083

## FOOT MODEL

Normal



10-3100-084

## FOOT MODEL

Flat



10-3100-085

## FOOT MODEL

High-arched



10-3100-264

## PRESENTATION FOOT

Short



10-3100-263

## PRESENTATION FOOT

Long

**NEW**

- Improved anatomical foot shape with magnet and stand disc



10-3100-341

## SAMPLE RING

3D Materials



10-3100-340

## SAMPLE RING

3D Custom



## SAMPLE RING

Fusion



10-3100-352

## SAMPLE RING

Step-In



10-3100-288

## SAMPLE RING

MP 23 – 31

- 1 set, right or left



10-3200-057 // A4

## NOTEPAD

### Foot type

- 50 pages



10-3100-334

## HEAT SOCKS DISPLAY

- Contents: display, heat sock, power supply, foot model
- Dimensions: 300 x 585 x 280 mm (W x H x D)

01-0100-365  
HEAT SOCKS DISPLAY  
STICKER XLP P



10-3100-080 // 2000 mm

10-3100-286 // 5000 mm

## BEACH FLAG



10-3100-281

## BANNER

- Dimensions: 4000 x 1000 mm (W x H)



10-3100-081

## BANNER

- Dimensions: 2000 x 1000 mm (W x H)



01-2300-037 // 1500 mm

## MEASURING TAPE



10-3100-250

## CUBE SEAT

- Dimensions: 400 x 400 x 400 mm (W x H x D)



78-300-910 // A1

## POSTER

Tune your Feet, Anna Veith



78-300-925 // A3

## STICKER

Tune your Feet, Anna Veith



10-3100-357 // A3

## POSTER NEW

Winter

- German



10-3100-362 // A3

## POSTER NEW

Winter

- English



10-3100-358 // A3

## POSTER NEW

Outdoor

- German



10-3100-363 // A3

## POSTER NEW

Outdoor

- English




10-3100-359 // A3

## POSTER NEW

Running

- German




10-3100-364 // A3

## POSTER NEW

Running

- English



10-3100-360 // A3

## POSTER NEW

Dynamic

- German



10-3100-365 // A3

## POSTER NEW

Dynamic

- English



10-3100-361 // A3

## POSTER NEW

Year Round

- German



10-3100-366 // A3

## POSTER NEW

Year Round

- English





## INFO BOOKLET

- 10-3200-117: Winter, German and Italian
- 10-3200-118: Winter, French and English
- 10-3200-119: Run & Hike, German and Italian
- 10-3200-120: Run & Hike, French and English



10-3200-121 // 80 mm, 110-3200-122 // 100 mm

## SILENT SELLER



## STICKER

- 10-3200-134: 700 x 260 mm (W x H)
- 10-3200-135: 1500 x 520 mm (W x H)
- 10-3200-136: 2000 x 460 mm (W x H)
- 10-3200-137: 4000 x 920 mm (W x H)



10-3100-278

## STICKER


- Dimensions: 200 x 190 mm (W x H)



## CATALOGUE

Winter & Summer 2022 / 23

- 10-3200-230: German
- 10-3200-231: English
- 10-3200-232: Italian
- 10-3200-233: French



# EXPERT DAY – YOUR SUCCESS IS OUR SUCCESS!

The use of our advertising material will provide you with an enhanced image, will increase attention enormously and raising awareness of your expert boot fitting. Use this first-class opportunity and WINTERSTEIGER's advertising material – your success is guaranteed!

Our proven BOOTDOC promotional materials will attract the attention of passers-by from your shop window and in front of your store.



WINDOW STICKER



FLOOR STICKER



ROLL UP



POSTER

Do you have any questions about our products? Please get in touch with your BOOTDOC contact person or write an e-mail to: [office@boot-doc.com](mailto:office@boot-doc.com)

10-3300-014-x // S - XXXL

## JACKET

- Material: 100 % polyester



10-3300-015-x // S - XXXL

## HOODY

- Material: 100 % cotton, inside polyester



10-3300-019-x // S - XXXL

## POLO SHIRT LONG-SLEEVED

- Material: 50 % cotton, 50 % polyester



10-3300-018-x // S - XXXL

## POLO SHIRT

- Material: 50 % cotton, 50 % polyester



10-3300-017-x // S - XXXL

## T-SHIRT V-NECK

- Material: 100 % cotton



10-3300-100 // 550 - 620 mm

## HELMET LINER

- Size: Uni
- Material: 90 % polyester, 10 % spandex



10-3300-102

## FACE MASK

- Size: Uni
- Material: 90 % polyester, 10 % spandex



# THE RIGHT SIZE FOR THE PERFECT FIT.

## INSOLES


BD	XS		S		M		L		XL		XXL
Length (mm)	217	227	237	247	257	267	277	287	297	307	317
MP	21	22	23	24	25	26	27	28	29	30	31
EU	32 – 33.5	34 – 35.5	36 – 37.5	38 – 38.5	39 – 40	40.5 – 41.5	42 – 42.5	43 – 44	44.5 – 45.5	46 – 47	48 – 49
US	3	4	4 ½ – 5	5 ½ – 6	6 ½ – 7	7 ½ – 8	8 ½ – 9	9 ½ – 10	10 ½ – 11	11 ½ – 12	12 ½ – 13 ½
UK	2	3	3 ½ – 4	4 ½ – 5	5 ½ – 6	6 ½ – 7	7 ½ – 8	8 ½ – 9	9 ½ – 10	10 ½ – 11	11 ½ – 12 ½

## POWER FIT SOCKS

BD	XS	S	M	L	XL
EU	32 – 34	35 – 38	39 – 41	42 – 44	45 – 48
US/CA Men	2 – 3	4 – 6	7 – 8	9 – 10	11 – 13
US/CA Woman	3 – 4	5 – 7	8 – 9	10 – 11	12 – 14
UK	1 – 2	3 – 5	6 – 7	8 – 9	10 – 12
Metric	200 – 210	220 – 240	250 – 260	270 – 280	290 – 310

## POWER FIT INDEX

The Power Fit Index (PFI) indicates how strong the overall level of gradual compression is: PFI 30 designates light compression, while PFI 90 is classified as strong and is therefore only found in our performance series.





## AUSTRIA

### WINTERSTEIGER AG

Johann-Michael-Dimmelstrasse 9  
4910 Ried im Innkreis

Tel.: +43 7752 919-0  
Fax: +43 7752 919-55  
sports@wintersteiger.at

## CANADA

### WINTERSTEIGER Inc.

DN-Laval Q.C. H7L 5A1  
964 Bergar Street

Tel.: +1 450 663 7800  
Fax: +1 450 663 2896  
info@canada.wintersteiger.com

## FRANCE

### SKID-WINTERSTEIGER S.A.S.

102 Voie Galilée  
Parc d'Activités Alpespace  
73800 Ste. Hélène du Lac

Tel.: +33 479 25 11 60  
Fax: +33 479 25 11 61  
office@skid-wintersteiger.com

## ITALY

### WINTERSTEIGER Italia s.r.l

39036 (BZ), Strada Ninz 82 –  
Frazione La Villa

Tel.: +39 0471 844 186  
info@wintersteiger.it

## NORWAY SWEDEN

### WINTERSTEIGER NC AS

Tornsangerveien 21  
1360 Fornebu

Tel.: +47 64 95 95 95  
post@wintersteiger.no

## RUSSIA

### OOO WINTERSTEIGER

117218 Moscow  
Krzhizhanovsky Str. 14. Build. 3

Tel.: +7 495 645 84 91  
Fax: +7 495 645 84 92  
office@wintersteiger.ru

## SWITZERLAND

### WINTERSTEIGER Schweiz AG

6331 Hünenberg  
Chamerstrasse 44

Tel.: +41 41 780 23 22  
Fax: +41 41 780 23 90  
office@wintersteiger.ch

## USA

### WINTERSTEIGER Inc.

4705 Amelia Earhart Drive  
Salt Lake City  
UT 84116-2876

Tel.: +1 801 355-6550  
Fax: +1 801 355-6541  
mailbox@wintersteiger.com

## REPRESENTATIONS

Andorra, Australia, Belgium, Bosnia  
and Herzegovina, Croatia, Denmark,  
Czech Republic, Finland, Greece,  
Netherlands, Kyrgyzstan, Latvia,  
Lithuania, New Zealand, Netherlands,  
Poland, Romania, Serbia, Slovakia,  
Slovenia, Spain, South Korea,  
United Kingdom.

## WINTERSTEIGER AG

Johann-Michael-Dimmelstrasse 9  
4910 Ried im Innkreis, Austria

Tel.: +43 7752 919-0  
Fax: +43 7752 919-52  
office@boot-doc.com

Part of  
**WINTERSTEIGER**  
Group